PRODUCT CATALOG

CHENGDU JRT METER TECHNOLOGY CO., LTD.

MFG

JR 1



COMPANY PROFILE



Chengdu JRT Meter Technology Co., Ltd. was established in **2004** and is an enterprise specializing in the production and development of laser rangefinders, which also with the world's advanced single-shot and singlereceive laser technology. For many years, JRT focuses on the R&D and production of high-precision laser ranging sensors and finished laser ranging modules, insisted on developing and producing laser rangefinders with better quality, more convenient functions and more favorable prices.

In addition to the bulk supply of finished products, we also undertake OEM / ODM solutions, which can meet the various demands of customers.





JRT has a passionate and diverse team. We have a R&D team composed of more than 15 engineers to develop and design new products, and help customers solve technical problems of products; more than 20 sales staff provide order consultation and after-sales service for customers all over the world, especially OEM&ODM orders, We have rich processing experience; in the factory, there are more than 100 workers to help us produce products, control quality and functional inspections.

At present, our products are sold all over the world, and have won unanimous praise from domestic and foreign customers for their rich functional experience and high-quality product quality. No matter when and where, customer satisfaction is our eternal pursuit and goal.

COMPANY STRENGTH



Established in 2004
Focus on laser measure
Experienced in laser area

✓ Focuses on R&D
 ✓ Undertake OEM/ODM
 ✓ Support various customization

Strong production capacity
 Professional technical team
 7*24 hours after-sales service









PRODUCT CATEGORIES



- Self-developed core components
- > Exquisite appearance
- Portable & convenient to use

- Industrial style
- Multi-measurement function
- Rugged appearance

- Long-distance measurement
- High magnification
- Multi-measurement



Elementary Measuring Tool

Professional Laser Measure Tool

Long Distance Measure Tool





C80 MODEL

- ✓ Easy handling
- ✓ 4-line illuminated display
- ✓ High accuracy & stability
- ✓ Multi-function measurement

Technical Details	C80
Measuring range	0.03~40m/60m/80m
Accuracy	±2mm
Size	110*36*20mm
Laser Grade&Type	Class II ;620~650nm,<1mw
Power Supply	Battery, AAA 1.5V*2
Operating time(at 20°C)	5000 measurements
Protection Class	IP54
Operating temperature	0 ° C to 40 ° C
Storage temperature	-20 ° C to 60 ° C
Product Color	Blue(Other Color can be customized)

MFG

Included accessories:

- Packing box
- Users manual

Hand strap



F40 MODEL



Included accessories:

Packing box

Users manual

- Hand strap
- Charging cable



Ø 1U

Technical Details	F40
Measuring range	0.03~30m/40m
Accuracy	±2mm
Size	101*32*15mm
Laser Grade&Type	Class II ;620~650nm,<1mw
Power Supply	USB rechargeable
Operating time(at 20℃)	200Mah 3000 measurements
Protection Class	IP54
Operating temperature	0 $^{\circ}$ C to 40 $^{\circ}$ C
Storage temperature	-20 ° C to 60 ° C
Product Color	Red/Black/Grey





- ✓ Mental shell
- ✓ 4-line illuminated display
- ✓ Multi-function measurement
- \checkmark Easy to carry and use

Technical Details	W40X
Measuring range	0.03~40m/60m/80m
Accuracy	±2mm
Size	109*35*22mm
Laser Grade&Type	Class II ;620~650nm,<1mw
Power Supply	USB rechargeable
Operating time(at 20°C)	200Mah 3000 measurements
Protection Class	IP54
Operating temperature	0 ° C to 40 ° C
Storage temperature	-20 ° C to 60 ° C
Product Color	Black/Blue/Slivery/Grey/Red

Included accessories:

- Packing box
- Users manual
- Hand strap
- Charging cable









L40

Measuring Range:0.03-30m/40m Accuracy: ±3mm

Power Supply: USB Rechargeable

Size: 100*32*13mm

Color:Black/Silvery

Customization:Logo/Sticker/Package

Measuring Range: 0.03-30m/40m

Accuracy: ±3mm

Power Supply: USB Recharegable

Size: 90*15*12.6mm

Color:Black/Silvery

Customization:Logo/Sticker/Package

M3





LA01

∃J C/OF

Measuring Range:0.03-30m/40m

Accuracy: ± 3 mm

Power Supply:USB Recharegable

Size: 96*32*12mm

Color:Slivery/Black

Customization:Logo/Sticker/Package



Measuring Range:0.03-30m

Accuracy: ±3mm

Power Supply: Battery

Size: 110*26*13mm

Color:White

Customization:Logo/Sticker/Package

D35





D30

Measuring Range:0.03-30m

Accuracy: ±3mm

Power Supply mode:Rechargeable

Size: 62*26*16mm

Color:White

Customization:Logo/Sticker/Package



Measuring Range:0.03-30m

Accuracy: ±3mm

Power Supply:USB Rechargeable

Size: 100*32*12mm

Color:Black

Customization:Logo/Sticker/Package

JQ30

- 2671 -2261 -2.505 -

±/U



Bidirectional Laser Distance Meter



10



Measuring Range:0.03-60m/80m

Accuracy: ±3mm

Power Supply:USB Rechargeable

Size: 125*30*14mm

Color:White

Customization:Logo/Sticker/Package

Measuring Range:0.03-80m

Accuracy: ±3mm

Power Supply:USB Rechargeable

Size: 125*30*14mm

Color:White

Customization:Logo/Sticker/Package

L80









(i)

Measuring Range:0.03-40/60/80m Accuracy: ±3mm Power Supply: Battery Size: 130*44*32mm Color:Black/Red Customization:Logo/Sticker/Package

X40

Measuring Range:0.03-40/60/80m Accuracy: ±3mm Power Supply:Battery Size: 118*38*22mm Color:Black&Red/Blue/Yellow Customization:Logo/Sticker/Package



S1P

Measuring Range:0.03-40/60/80 Accuracy: ±3mm Power Supply:Battery Size: 100*35*23mm Color:Black&Red Customization:Logo/Sticker/Package





D40

Measuring Range:0.03-120m

Accuracy: ± 3 mm

Power Supply:Battery

Size: 126*56*30mm

Color:Yellow/Blue/Red

Customization:Logo/Sticker/Package



L80

Measuring Range:0.03-120m

Accuracy: ±3mm

Power Supply:Battery

Size: 120*45*25mm

Color: Grey

Customization: Logo/Sticker/Package

S2

69.3

Measuring Range:0.03-120m

Accuracy: ±3mm

Power Supply: Battery

Size: 120*54*29mm


Color:Red/Yellow/Blue

Customization:Logo/Sticker/Package

12

Laser Tape Rangefinder





Measuring Range: 40m+5m

Power Supply mode: USB rechargeable

Size: 85*43*75mm

Color: Black&white

Customization: Logo/Sticker/Package



Measuring Range: 30m+5m

Power Supply mode: USB rechargeable

Size: 72*72*35mm

Color: Red/Blue/Gold

Customization: Logo/Sticker/Package



Measuring Range: 30m+5m

Power Supply mode: USB rechargeable

Size: 75*70*35mm

Color: Black/Red

Customization: Logo/Sticker/Package

Telescope Rangefinder



Technical Details	A01
Measuring range	3~600/800/1200m
Accuracy	±1m
Size	105*65*40MM
Laser Grade&Type	Class II;905 nm
Power Supply	3.7V 50Mah lithium battery
Telescope Magnification	6X
Protection Class	IP54
Operating temperature	0 ° C to +40 ° C
Storage temperature	-20 ° C to +60 ° C
Product Color	Black








OUR ADVATAGES



FACTORY DIRECT SALES

We manufacture our own products, and we can provide the most favorable price and stable supply capacity.



SUPPORT CUSTOMIZATION

Provide the most suitable product solutions, shape, distance, precision and other all-round customization to meet various needs.

GUARANTEED QUALITY

Stable measurement performance, high accuracy, meet a variety of measurement needs; Professional after-sales team provides most satisfactory services.



STRONG R&D ABILITY

Independent R&D of rangefinder modules and chips ect.; develop new products every year.

CONTACT US



Telephone

+86-28-83533012

Email \sim

info@lasermeasuretool.com

Website

www.lasermeasuretool.com



Address

2-1-1402, E2, Global Center, Gaoxin District, Chengdu, China

Chengdu JRT Meter Technology Co., Ltd.

成都景瑞特科技有限公司

